



GAS COOKING APPLIANCES

FOR 1924

ODIN STOVE MANUFACTURING CO.

ERIE, PA.

CATALOG NO. 41

TERMS, PRICES, ORDERING AND REPAIRS

PRICES

All Prices quoted previous to this Catalog No. 41 are withdrawn. Liberal Discount applying to List Price Sheet herewith quoted on application.

TERMS

Net 30 days from date of invoice: 2% discount for cash if paid in 10 days. F. O. B. Erie, Pa. Delays in transit or delivery do not alter these terms. Overdue accounts subject to sight draft without notice.

All accounts not paid when due will have interest added at the rate of 6% per annum from date when same became due until date of settlement. We pay no Exchange or Express Charges.

Orders from parties without satisfactory commercial ratings should be accompanied with cash.

REPAIRS

All repair castings are sold at net cash. Order repair parts by pattern number which will be found on inside of all castings or parts; also give name and number of stove parts are desired for.



ODIN RANGES AND APPLIANCES FOR 1924

SHOW

IMPROVED QUALITY AND DESIGN AT REDUCED PRICES

We knew that Gas Ranges and Appliances for 1924 must be better than ever before, and at equal or lower prices, and with that knowledge we have remodeled and designed all Cabinet and Square Types of Ranges, as well as increased and improved our facilities for manufacturing to the keenest point of efficiency.

Volume production on Ranges that are real value in material, workmanship and quality enables us to lower prices to a point that will insure your range department the volume increase of sales and greater per cent of profit.

The liberal discount we offer to you against the list price sheet applying to this catalog will net Odin Appliances to you at figures that will interest you as never before.

Ask for list price sheet and discount on—

CATALOG NO. 41

IMPORTANT — READ

Declining Natural Gas and consequential low pressure in recent years has made it necessary to reconstruct the methods used in the operation of Gas Burning Appliances, and with this idea in view, the Department of Mines has asked the makers of Gas Appliances to co-operate with the Government in this effort to not only conserve the most wonderful of all fuels, (Natural Gas) but to provide for the public a more economical and efficient Gas Burning Appliance as well.

The old time all closed top range is a thing of the past. We eliminate the heating of unnecessary cooking top castings, by bringing the Cooking utensils directly in contact with the flame beneath it, and thru the open Grill Gates, such as have always been used on Manufactured Gas Ranges.

There is no more need of a closed top on Natural Gas than there is on Manufactured Gas, provided the combustion of your flame on Natural Gas is proper. The flame of the Burners in Odin Ranges is proper, and can safely be used in the open top Range.

We have brought the flame up to one and one-half inches from the Cooking Utensil, in place of three inches away as of old. Then we control that flame with the Odin Adjustable Cock, which can be adjusted to any varying pressure of Gas. You adjust the flame with handle wide open, down to the point where the tip of the flame strikes the utensil above. In doing this, you will use just one half as long a flame as you ever did before, and get far quicker results as the highest heat unit is in the tip of the flame that comes in contact with the utensil.

On the opposite page, we show you a diagram of the proper position of burners and length of flames as recommended by Government experts and also the operation of the Odin Adjustable Stop Cock.

No further advice is necessary, we are sure. You have in the Odin Range the most economical and efficient Gas Burning Range on the market to-day and with Gas consumption cut down one half below that of the ordinary make of Gas Range on the market, we do not see wherein you can fail to appreciate the wonderful advance we have made in this new improvement to the Product, and the extreme cut it will make in your Customers Gas Bill.

“WHY WE DO IT”





Diagram showing wrong and correct position of gas flame under cooking vessel.

ODIN CABINET RANGE

THE SHORT FLOOR SPACE-APARTMENT TYPE



NO. 440

The newly designed Cast Iron Front Cabinet Range, having a narrow width in both Cooking Top and Oven—with depth to both that permits full cooking and baking capacity in the short floor space of thirty-eight inch width and twenty inch depth.

The Body is of Wellsville Polished Steel, all of which is mounted above the legs on a strong wrought iron frame.

The Oven Front is of Cast Iron, Ebonite Black Finish, equipped with Cast Iron Door Frames in Nickel Finish and White Porcelain Door Panels. The Oven has ventilated Steel Oven Bottom and quick acting Oven Linings—all finished in Aluminum Coating and rust-resisting solution. Measurements of this Oven are fourteen full inches wide and nineteen inches deep—Takes the full sized Savory Roaster with ease.

The Cooking Top—All cast iron and twenty inches square—is fitted with interchangeable Open Grates and close-up Burners, all in Aluminum Finish. One Giant and three Single. All removable and of star shape, drilled. Galvanized Iron Drip Pan underneath the Burners and Black Pan in the Broiler.

White Porcelain Handle, Adjustable Stop Cocks, and adjustable Air Mixers operate these Burners.

CLOSE UP BURNERS — SEE WHY — PAGE 4

THIS SERIES MADE WITH OVENS AT RIGHT OR LEFT HAND SIDE.
LEFT HAND ALWAYS SHIPPED UNLESS OTHERWISE SPECIFIED.

Number
440

Weight
185

Code
Pickford

FOR FULL MEASUREMENTS SEE PAGE 9

ODIN CABINET RANGE

THE SHORT FLOOR SPACE-APARTMENT TYPE

The newly designed Cast Iron Front Cabinet Range having a narrow width in both cooking Top and Oven—the same as No. 440 shown on page 6.

This Range is No. 442 and differs from No. 440 only in that the Cooking Top is entirely surrounded at side and Back, by heavy Porcelain Splash Panels.

These add greatly to the cleanliness about the Cooking Top and in beauty as well. White Porcelain Drip Pan underneath the Burners and a like White Porcelain Pan in the Broiler are also added in this number.

Other regular features of construction will be found on page 6.

CLOSE UP BURNERS—SEE WHY—PAGE 4

Number	Weight	Code
442	190	Hart


FOR FULL MEASUREMENTS SEE PAGE 9



NO. 442

SEMI-WHITE PORCELAIN CABINET RANGE

THE SHORT FLOOR SPACE-APARTMENT TYPE



NO. 445

The newly designed Semi Porcelain Cast Iron Front Cabinet Range having a narrow width in both Oven and Cooking Top, and of that type in greatest favor with Apartment Builders, due to its very Heavy White Porcelain Construction, giving longer life to the range as well as brighter appearance in keeping with the new and generally white kitchens.

The Cast Front Frame and Cooking Top are in Ebonite Black Finish as are the two back legs. The Cast Oven Door Frames are Nickered, as is the Shelf Bracket—while the Burners and Grates are all finished in aluminum.

Now see the wonderful White Porcelain Construction. Oven Door Panels, Oven Side and Back 'round the Cooking Top. Shelf and Back Top Rail. The Main Oven Top. Drip Pan underneath the burners and Pan in the Broiling Oven. Two Legs at the Front.

There is an assemblage of Heavy White Porcelain Parts that makes this Range one of the most solid, and substantial to be found anywhere and at a price that commands an easy sale.

CLOSE UP BURNERS—SEE WHY—PAGE 4

LEFT HAND OVENS ALWAYS SHIPPED UNLESS RIGHT BE SPECIFIED

Number	Finish	Weight	Code
445	Semi White Porcelain	200	Holt

FOR FULL MEASUREMENTS SEE PAGE 9

ALL WHITE PORCELAIN CABINET RANGE

THE SHORT FLOOR SPACE-APARTMENT TYPE


The newly designed All White Porcelain Cast Iron Front Cabinet Range having a narrow width in both Oven and Cooking Top. The very last word in high grade all Porcelain Range Construction. The only Cast Iron Part of the Range that is not White Porcelain finish is the outer frame of Cooking Top and that is of Ebonite Black finish. Even the Grates and Burners are finished in Aluminum. The Cast Iron Front Oven Frame is finished in White Porcelain and fitted with Nickel Door Frames, equipped with White Porcelain Door Panels. All four legs are White Porcelain, as is also the Drip Pan under Burners and the Pan in the Broiler. The Main side of the Oven—also the Top of it and the Side, along the Cooking Top are of the Heavy White Porcelain—and to finish off—the Back at rear of the Cooking Top as well as the Shelf above it and Top Back Rail across the whole top are all of the same high grade heavy White Porcelain.

CLOSE UP BURNERS—SEE WHY—PAGE 4

Number	Finish	Weight	Code
443	All White Porcelain	200	Meighan

MEASUREMENTS

	440 Page 6	442 Page 7	445 Page 8	443 Page 9
Floor Width	38 in.	38 in.	38 in.	38 in.
Floor Depth	20 in.	20 in.	20 in.	20 in.
Height over all.....	47 in.	47 in.	47 in.	47 in.
Height Cooking Top ..	32 in.	32 in.	32 in.	32 in.
Baking Oven	14x12x19 in.	14x12x19 in.	14x12x19 in.	14x12x19 in.
Broiling Oven	14x 9x19 in.	14x 9x19 in.	14x 9x19 in.	14x 9x19 in.
Cooking Top	20x20 in.	20x20 in.	20x20 in.	20x20 in.



NO. 443

ODIN CABINET GAS RANGE



THE CABINET TYPE OF RANGE WITH FULL COOKING
TOP FOR THOSE WHOSE KITCHEN SPACE
IS NOT LIMITED—AND REQUIREMENTS IN COOKING
ARE LARGE

The Body is of Polished Blue Steel, all of which is mounted in most substantial manner above the legs on the strong wrought iron frame.

The Oven Front is of Cast Iron in Ebonite Black finish with Cast Iron door Frames in Nickel and White Porcelain Door Panels. The Oven has Ventilated Steel Oven Bottom and quick acting linings—all finished in Aluminum Coating and rust resisting solution. Width of Oven 16 or 18 inches wide by 19 inches deep.

The Cooking Top—all Cast Iron—twenty-two by twenty-four inches square is fitted with interchangeable open grates and close up Burners, all in Aluminum Finish. One Giant and three Single, all removable and of the star shape and drilled. Galvanized Iron Drip Pan underneath the Burners and Black Pan in the Broiler.

White Porcelain Handle, Adjustable Stop Cocks and Adjustable Air Mixers operate these Burners. This series made with Ovens at right or left hand side. Left hand shipped unless otherwise specified.

Number	Oven Size	Weight	Code
660	16 x 19 x 12	200	Terra
880	18 x 19 x 12	215	Alta

FOR FULL MEASUREMENTS SEE PAGE 13

ODIN CABINET GAS RANGE

The newly designed Cabinet Type of Ranges with Cast Iron Front Frame and larger than the ordinary Cooking Top, the same as No. 660, shown on page 10.

The construction of this Range is the same as that shown on page 10, with exception that the large Cooking Top here is entirely surrounded at side and back by heavy White Porcelain Splash Panels.

Here also is added the White Porcelain Drip Pan underneath the Burners and a like White Porcelain Pan in the Broiler.

It's a clean type of Range and greatly strengthened, too, about Cooking Top thru the addition of the White Porcelain parts which protect the oven and back.

Other regular features of construction may be found on page 10.

CLOSE UP BURNERS—SEE WHY—PAGE 4

LEFT HAND OVENS ALWAYS SHIPPED UNLESS RIGHT BE SPECIFIED

Number	Oven Size	Weight	Code
662	16 x 19 x 12	220	Paso
882	18 x 19 x 12	205	Waco

FOR FULL MEASUREMENTS SEE PAGE 13



SEMI-WHITE PORCELAIN CABINET GAS RANGE



Here is shown the newly designed Semi-Porcelain Cast Iron Front Cabinet Type of Range with Cooking Top larger than the ordinary.

A Range in great favor with those who desire the larger type of Range with most important points heavily reinforced with White Porcelain and yet not as costly as the All White Porcelain Range. It's a beauty in appearance, too — The Cast Front Frame, Cooking Top and two rear legs in Ebonite Black Finish—with Nickel Door Frames, fitted with White Porcelain Door Panels—the two front legs are of White Porcelain as are the Drip Pan underneath the Burners as well as the Pan in the Broiling Oven.

About the Cooking Top at side and rear are White Porcelain Splash Panels—while above is the Shelf and Back Top Rail in the same finish along with the Main Oven Top.

Nickel Top and Side Brackets, as well as the Stop Cocks and Manifold, all add greatly to the beauty of this solid and substantial Range.

The Burners and Grates are finished in Aluminum.

CLOSE UP BURNERS — SEE WHY — PAGE 4

Number	Oven Size	Weight	Code
665	16 x 19 x 12	215	Buena
885	18 x 19 x 12	230	Vesta

FOR FULL MEASUREMENTS SEE PAGE 13

ALL WHITE PORCELAIN CABINET RANGE

The newly designed All White Porcelain Cast Iron Front Cabinet type with Cooking Top larger than the ordinary.

Here is the last word in All White Porcelain Range construction and beauty, and will meet the demands of your most exacting customer at prices way down low.

The Ebonite finished Cooking Top Frame is the only Cast Iron part of this Range that is black—Even the Grates and Burners are in bright Aluminum Finish.

Nickel Door Frames are fitted into the White Porcelain Cast Iron Front Frame, while the Door Panels are White Porcelain, too.

The four Legs are White Porcelain as are also the Drip Pan underneath the Burners and the Pan in the Broiling Oven.


The left side of the Oven as well as the right side, around the Cooking Top and at the Back are all White Porcelain, and the Oven's Main Top is that, too.

Then above the Cooking Top is the Shelf and the Back Top Rail in all White, and the Top Brackets as well as the Shelf Brackets, in Nickel, add greatly to the beauty of the Range.

Number	Oven Size	Weight	Code
663	16 x 19 x 12	220	Sanitary
883	18 x 19 x 12	235	Health

MEASUREMENTS

	660-662-665-663	880-882-885-883
Bake Oven.....	16 x 19 x 12	18 x 19 x 12
Broiling Oven.....	16 x 19 x 9	18 x 19 x 9
Cooking Top, less Shelf.....	22 x 24	22 x 24
Shelf.....	4	4
Length on Floor.....	44	46
Length at widest Point, with Shelf.....	47	49
Height over all.....	47	47



ODIN CABINET GAS RANGE



NO. 560

A newly designed Cast Iron Front, Cabinet Type, built under intensive and big production to be sold to you at a close margin and way down low price—Volume business made this wonderful Range possible and you just can't duplicate this quality at our price.

The Front Frame is Cast Iron, fitted with one Nickel Oven Door and Ebonite Black Broiler Door, both of which carry the White Porcelain Door Panels.

The Cooking Top is of Cast Iron, Ebonite Black, 20 by 20 inches square and fitted with Grates and Burners in Aluminum Finish. Four close up Burners, all Star Shape, drilled and removable. Operated by Adjustable Stop Cocks with White Porcelain Handles.

The Body is of Blue Polished Steel, mounted on strong Wrot Iron Frame.

The Oven is 16 inches wide by 19 inches deep and finished in Aluminum. Galvanized Iron Pan underneath Burners and Black Steel Pan in Broiler.

LEFT HAND OVENS ALWAYS SHIPPED UNLESS RIGHT BE SPECIFIED

Number
560

Weight
200

Code
Society

FOR FULL MEASUREMENTS SEE PAGE 15

ODIN CABINET GAS RANGE

THINK THIS OVER, MR. BUYER

SUCH QUALITY AS THIS CAN ONLY BE MADE LOW IN PRICE THRU BIG DEMAND — HELP KEEP IT SO BY BUYING YOURSELF.

This Cast Iron Front Cabinet No. 562 differs from No. 560 on Page 14 in that it has many White Porcelain additions.

The Oven-side and Back of Cooking Top are White Porcelain, as are also the Drip Pan underneath the Burners and the Pan to Broiling Oven.

The addition of these parts “peps” the Range up keenly in appearance and naturally adds greatly to the strength and life of it.

FURTHER DETAIL OF CONSTRUCTION AS TO BURNER AND OVEN EQUIPMENT ARE FOUND ON PAGE 14

Number	Weight	Code
562	210	Lustro
MEASUREMENTS		
Height Cooking Top		560-562-565
Depth Cooking Top.....		32 in.
Width Cooking Top.....		20 in
Baking Oven		20 in
Broiling Oven		16 x 19 x 12 in.
Width on Floor		16 x 19 x 6 in.
		43 in.



NO. 562

SEMI WHITE PORCELAIN CABINET GAS RANGE



NO. 565

YOU WILL HAVE TO HUNT HARD TO DUPLICATE THE QUALITY OF THIS RANGE ANYWHERE TODAY—AT OUR LOW PRICE—AND WE KNOW IT.

Look at it—Cast Iron Front Frame in Ebonite Black Finish, as are the Back Legs and Cooking Top Frame.

A Nickel Oven Door with White Porcelain Panel, and the Panel in the Broiler is the same.

The two Front Legs are White Porcelain and so are the Pans underneath the Burners and in the Broiling Oven.

White Porcelain Main Top to the Oven as well as at the Oven side and Back of the Cooking Top.

The Cooking Top is fitted with Grates and Burners in Aluminum Finish and above them all is the White Porcelain Shelf and Back Top Rail.

The Range is just loaded down with heavy White Porcelain Parts, making it a beauty in appearance and surely strong and durable in construction.

“AND THE PRICE IS LOW”

Number
565

Weight
215

Code
Sterling

FOR FULL MEASUREMENTS SEE PAGE 15

ODIN CABINET GAS RANGE

"BUILT FOR THE MASSES"

THAT WONDERFUL SELLING CABINET RANGE YOU HAVE BOUGHT FROM US IN THE PAST AND WHICH MEETS THE DEMANDS OF THE MASSES FOR A CABINET TYPE OF RANGE AT LOW PRICES — IT'S LOWER PRICED THIS YEAR AND HAS MANY ADDED IMPROVEMENTS. AT ITS NEW LOW PRICE AND ADDED MERIT YOU CAN DO MORE WITH IT NOW THAN EVER BEFORE.

The Body is all Wellsville Polished Steel, while the inner Oven is Aluminized. The Cooking Top is 20 inches square and Cast Iron, fitted with four Star-shaped, Drilled Burners, all of which, along with the Grates, are finished in Aluminum.

The Stop Cocks are all adjustable for use on either Natural or Artificial Gas, and have White Porcelain Handles.

The Oven is 16 inches wide and 19 inches deep—It will take care of all an 18-inch square Oven will.

The Panels in the Cast Door Frames are of White Porcelain.

The Legs are Cast Iron—heavy and substantial. Mounted to a Heavy Band Iron Frame that carries the Range proper.

Galvanized Iron Drip Pan underneath the Burners and Black Pan in the Broiling Oven.

SEE PAGE 18 FOR MEASUREMENTS AND FURTHER DETAILS



NO. 460

ODIN CABINET GAS RANGE

"BUILT FOR THE MASSES"



NO. 462

This White Porcelain trimmed Cabinet Type No. 462 is the mate to No. 460, shown on Page 17—with exception of its added White Porcelain Parts.

The greatest seller we have ever built and at its new low prices—and increased merit thru new parts—We know you can increase your sales with it this season.

White Porcelain Panels at the Oven-side and Back 'round the Cooking Top—so also are the Drip Pan underneath the Burners and the Pan in the Broiler furnished in White Porcelain.

The Oven and Broiler Door Frames are fitted with White Porcelain Door Panels, too.

FOR FURTHER DETAILS OF CONSTRUCTION SEE PAGE 17

Number	Finish	Weight	Code
460	{ White Porcelain } { Door Panels }	200	Auk
462	{ White Porcelain } { Door Panels and } { Splashers 'round } { Cooking Top }	215	Klan

MEASUREMENTS

Height Cooking Top.....	32 in.
Depth Cooking Top.....	20 in.
Width Cooking Top.....	20 in.
Baking Oven	16 x 19 x 12 in.
Broiling Oven	16 x 19 x 6 in.
Width on Floor	43 in.

LEFT HAND OVENS ALWAYS SHIPPED UNLESS RIGHT BE SPECIFIED

ODIN CABINETTE GAS RANGES

WITH FOUR BURNERS AND BROILING AND BAKING OVENS

The only Cabinet Type of Range built today, with four full sized Cooking Burners, and occupying but 32" in width of floor space.

Two full sized Burners at the side, and two more mounted on Top of the Oven, at a height quite convenient for operation. All Burners being of Star shape, cast in one piece and drilled. Fitted with flat face Adjustable Air Mixers and Porcelain Handle Adjustable Stop Cocks. Double Line Burner operating both Baking and Broiling Ovens.

White Porcelain Drip Pan across the entire Oven Top and directly underneath the Top Burners. The same type of Pan is also used underneath the Side Burners.

The Ovens are 16" wide by 19½" deep. 312 cubic inches of Oven space, which is just 12 cubic inches less than an Oven 18" square. Large enough to accommodate the largest Roasting Ovens and Pans. These Ovens are constructed of full Wellsville Polished Steel, protected at the side and around Cooking Top by heavy White Porcelain Panels. The Doors are equipped with Bulge Type White Porcelain Door Panels.

FOR FULL MEASUREMENTS SEE PAGE 20



NO. 664-B

ODIN CABINETTE GAS RANGES



NO. 664-A

WITH FOUR BURNERS AND SINGLE BAKE OVEN

DETAILS OF CONSTRUCTION CONTINUED FROM PAGE 19

Oven Linings and Bottom are Aluminumized Finish and all Parts easily removed and interchangeable. Ovens equipped with Safety Lighting Device thru Oven Bottom.

Castings of the Cooking Top, Legs and Doors are all finished in Ebonite Velvet Black. Castings of Door Hinges, Name Plate and the Manifold are finished in high lustre Nickel.

White Porcelain Broiler Pans in all Broiling Ovens. Strong spiral springs fitted to all Oven Doors.

MEASUREMENTS

	No. 664-A—666-A	No. 664-B—666-B
Floor Width	32 in.	32 in.
Floor Depth	20 in.	20 in.
Height over all.....	48 in.	48 in.
Height to Upper Cooking Top.....	46 in.	46 in.
Height to Side Cooking Top.....	27 in.	27 in.
Baking Oven	16 x 19½ x 12 in.	16 x 19½ x 12 in.
Broiling Oven	16 x 19½ x 5½ in.	16 x 19½ x 5½ in.
Side Cooking Area.....	12½d x 21¼ w in.	10¾ w x 20d in.
Top Cooking Area.....	12½d x 21¼ in.	12½d x 21¼ w in.
Code Word	Apartment	Flat


ODIN CABINETTE GAS RANGES

TWO SIDE BURNERS WITH BAKING AND BROILING OVENS

This smaller type of Cabinette is built to meet the great demand for a smaller capacity Range for use in kitchens and families of smaller size. The smaller kitchens of modern apartments today require a range of great capacity and still occupying small space, and to meet that increasing demand we have designed this Type of Range, and feel confident that you will find a very ready sale upon it among the newer buildings now being constructed in your city.

The Nos. 666-A and B are exactly the same in design and construction as Nos. 664-A and B, with the exception that we have eliminated the two Top Burners above the Oven, thereby making the Ranges somewhat lower than the other type in height over all.

FOR FULL MEASUREMENTS SEE PAGE 20



NO. 666-B

ALL WHITE PORCELAIN SQUARE TYPE RANGES

WITH SINGLE OVEN



NO. 8018 A-W

THE SEMI-PORCELAIN RANGE LOOKS EXACTLY
LIKE CUT ABOVE—FROM THE FRONT—THE SIDES
AND REAR OF THE SEMI ARE OF BLUE STEEL—
IT'S A BIG SELLER

Body—All White Porcelain with Wrot Iron Front Frame and Cast Iron Nickel Plated Door Frames. All White Enamel Panels in 20-Ga. Armco Steel.

Cooking Top—Large and of Open Style with Burners fitted close up. One Giant and three Singles. Stop Cocks, Adjustable, with Porcelain Handles, and permitting use of Natural or Manufactured Gas thru simple adjustment.

BURNERS AND GRATES IN ALUMINUM FINISH

OPEN TOPS — SEE WHY ON PAGE 4

Number	Finish	Weight	Code
8018 A-W	All White	125	Detect
9018 A-S-W Semi Porcelain	White Front only With Blue Sides and Back	125	Dixon

MEASUREMENTS

	No. 8018 A-W—8018 B-W
Height from Floor.....	32 in.
Baking Oven	18 x 19½ x 12 in.
Broiling Oven	18 x 19½ x 6 in.
Width of Top	30½ in.
Depth of Top.....	24 in.
Flue Connection	4 in.

ALL WHITE PORCELAIN SQUARE TYPE RANGES

WITH BAKING OVEN AND BROILER


Broiling Oven fitted with White Porcelain Broiling Pan and operated with same flame that heats the Oven above.

The Semi-Porcelain Range is proving a great seller and from the front is exactly same in construction and appearance as the cut opposite shows—Simply the Side and Back Panels are in Blue Steel.

ALL BURNERS ARE OF THE CLOSE UP TYPE—AND OPERATED WITH OPEN TOP—SEE WHY ON PAGE 4

Number	Finish	Weight	Code
8018 B-W	All White	150	Detector
9018 B-S-W Semi-Porcelain	{ White Front only With Blue Steel Sides and Back. }	150	Dearborn

SEE FULL MEASUREMENTS ON PAGE 22



NO. 8018 B-W

LEADER SQUARE TYPE GAS RANGES

THE LEADER RANGE SINGLE OVEN

SPECIAL FEATURES

Body—Heavy Blue Steel, with all Castings in the Ebonite, Velvet Black Finish.

Door Panels — Of Bulged Type White Porcelain, and Door poised on Springs.

Cooking Top—Large and of Open Top, fitted with one Giant and three Single Burners, all removable, and setting one and one-half inches from the utensils above.

OPEN TOP—SEE WHY—PAGE 4

GRATES AND BURNERS IN ALUMINUM FINISH

STOP COCKS—ALL ADJUSTABLE AND PERMITTING USE OF NATURAL OR MANUFACTURED GAS BY SIMPLE ADJUSTMENT



Number	Weight	Code
816-A	115	Bingo
818-A	125	Butte

MEASUREMENTS

	816-A & B	818-A & B
Height from Floor.....	32	32
Baking Oven	16 x 17½ x 12	18 x 19½ x 12
Broiling Oven	16 x 17½ x 6	18 x 19½ x 6
Width of Top.....	27½	30½
Depth of Top.....	23	24
Flue Connection	4	4

LEADER SQUARE TYPE GAS RANGES

THE LEADER RANGE

WITH BAKING AND BROILING OVENS

SPECIAL FEATURES

Broiling Oven fitted with Steel Pan and Wire Rack and operated with same Burner that heats the Baking Oven — One flame performs two operations.

The White Porcelain Door Panels, as furnished in the Single Oven Range also, are shown here. All other features of this Type same as on Page 20. See Measurements there.

GRATES AND BURNERS IN ALUMINUM FINISH

Number	Weight	Code
816-B	125	Barge
818-B	135	Brig

One Giant Burner—Three Single Burners—Two Line Burner to Oven and Broiler—Full Broiling Pan and Rack—Safety Lighting Device in Oven Bottom—Porcelain Handle Adjustable Stop Cocks.

OPEN TOP—SEE WHY—PAGE 4



ODIN GAS KITCHENETTES



KITCHEN QUEEN RANGETTE

NUMBER 20

SPECIAL FEATURES

Body—Heavy Blue Steel, with all Castings in the Ebonite, Velvet Black Finish, and Oven Doors poised on Springs.

Door Panels—Of Bulged Type White Porcelain.

Cooking Top—Cast Iron, open and fitted with one Giant and one Single Burner, setting one and one-half inches from utensil, and all removable. White Porcelain Handle Stop Cocks, all adjustable.

OPEN TOP—SEE WHY—PAGE 4

GRATES AND BURNERS IN ALUMINUM FINISH

Number	Weight	Code
20	75	Kancy
30	90	Okla

MEASUREMENTS

	20	30
Bake Oven	18 x 12 x 12 in.	18 x 12 x 12 in.
Size of Top.....	13 x 22	13 x 30
Height from Floor.....	31½	31½

ODIN GAS KITCHENETTES

KITCHEN QUEEN RANGETTE NUMBER 30

SPECIAL FEATURES

The Cooking Top in this Number is fitted with one Giant and two Single Burners.

OPEN TOP—SEE WHY—PAGE 4

GRATES AND BURNERS IN ALUMINUM FINISH

The Oven—On both, No. 20 and 30, is large and operated by a Double Line Burner. Strong Wire Oven Racks, and Oven Bottom with Safety Lighting Device. All Ovens in Aluminum Finish.

Oven Door fitted with Bulged White Porcelain Door Panel.

OTHER FEATURES OF THIS NUMBER ARE DESCRIBED UNDER NO. 20
ON PAGE 26



ODIN RANGETTE 1300 S-W



IN SEMI-WHITE PORCELAIN

The Main Front, and Front Legs, are finished in White Porcelain, while the Sides and Back are of the usual Blue Steel.

The Main Top Frame is of Ebonite Black Enamel, Cast Iron, fitted with three Open Grates, Close-up Star Shape and Drilled Burners, all of which are in Aluminum Finish. Burners are removable and operated by Porcelain Handle, Adjustable Stop Cocks and Adjustable Air Mixers. White Porcelain Drip Pan underneath Burners and over Oven Top.

NOTE THE NEW ENCLOSED BURNER CHAMBER

The Oven is equipped with Nickel Plated Cast Iron Door Frame, poised on Springs and fitted with Bulged White Porcelain Door Panel. Double, heavy Steel Oven Bottom reinforced with Asbestos.

Removable Oven Rack and Linings. Oven Burner of ample capacity to insure perfect baking.

MEASUREMENTS

No.	Finish	Top	Oven	Height	Code
1300-S-W	Semi-Porcelain	26" x 12"	16 x 11½ x 12"	31½"	Farm
Shipping Weight, 75 lbs.					

CAN BE USED ON NATURAL OR MANUFACTURED GAS BY SIMPLY ADJUSTING THE ADJUSTMENT OF THE STOP COCK

ODIN RANGETTE NO. 1400 S-W

IN SEMI-WHITE PORCELAIN

The Main Front, and Front Legs, are finished in White Porcelain—while the Sides are of the usual Blue Steel.

The Main Top Frame, with New End Shelves, is of Ebonite Black Finish, Cast Iron, fitted with full Open Grates, and four Close-up Star Shape and Drilled Burners, all of which are in Aluminum Finish. All Burners are removable and operated by White Porcelain Handle, Adjustable Stop Cocks and Air Mixers. White Porcelain Drip Pan underneath Burners and over Oven Top.


NOTE THE NEW ENCLOSED BURNER CHAMBER AND END SHELVES

The Oven is equipped with Nickel Plated Cast Iron Oven Door Frame, poised on Springs, and fitted with Bulged White Porcelain Door Panel. Double, heavy Steel Oven Bottom reinforced with Asbestos.

Removable Oven Rack and Linings. Oven Burner of ample size to insure perfect baking.

MEASUREMENTS					
No.	Finish	Top	Oven	Height	Code
1400-S-W	Semi-Porcelain	20" x 24"	16 x 12 x 16½"	31½"	Seller
Shipping Weight, 85 lbs.					

NOTE—THE OVEN IS FULL SIXTEEN INCHES WIDE BY SIXTEEN AND ONE-HALF INCHES DEEP. IT'S A REAL STOVE, ALL RIGHT.



ODIN RANGETTE NO. 1300



JUST THE BEST TO BE HAD AT THE PRICE

The Main Top Frame is of Cast Iron, Ebonite Black Finish, fitted with three Open Grates, Close-up Star Shape and Drilled Burners, all of which are in the Aluminum Finish. All Burners are removable and operated by Porcelain Handle, Adjustable Stop Cocks with Adjustable Air Mixers and Nickel Supply Pipe. Galvanized Iron Drip Pan underneath Burners and over Oven Top.

NOTE THE NEW ENCLOSED BURNER CHAMBER

The Oven is equipped with Cast Iron Oven Door Frame, poised on Springs and fitted with Bulged White Porcelain Door Panel. Double, heavy Steel Oven Bottom reinforced with Asbestos.

OPEN TOP—SEE WHY—PAGE 4

Removable Oven Rack and Linings. Oven Burner of ample capacity to insure perfect baking.

MEASUREMENTS

	Top	Oven	Height	Code
No. 1300	26" x 12"	16 x 11½ x 12"	31½"	Jordan

CAN BE USED ON NATURAL OR MANUFACTURED GAS BY SIMPLE ADJUSTMENT OF THE STOP COCKS

ODIN RANGETTE NO. 1400

**SURE YOU CAN USE IT
LOOK AT THE PRICE**

The Main Top Frame is of Cast Iron, Ebonite Black Finish, fitted with full Open Grates, and four Close-up Star Shape and Drilled Burners, all of which are in the Aluminum Finish. All Burners are removable and operated by White Porcelain Handle, Adjustable Stop Cocks and Air Mixers and Nickel Supply Pipe. Galvanized Iron Drip Pan underneath Burner and over Oven Top.

NOTE THE NEW ENCLOSED BURNER CHAMBER AND END SHELVES

The Oven is equipped with Cast Iron Oven Door Frame, poised on Springs, and fitted with Bulged White Porcelain Door Panel. Double, heavy Steel Oven Bottom reinforced with Asbestos.

OPEN TOP—SEE WHY—PAGE 4

Removable Oven Rack and Linings. Oven Burner of ample size to insure perfect baking.

MEASUREMENTS

	Top	Oven	Height	Code
No. 1400	20" x 24"	16 x 12 x 16½"	31½"	Quick

**CAN BE USED ON NATURAL OR MANUFACTURED GAS BY SIMPLE
ADJUSTMENT OF THE STOP COCKS**



ODIN GAS ELEVATED HOT PLATES



ERIC ELEVATED PLATES

Here we show Eric Plates on High Legs, Curved Wrought Iron Legs, solid and substantial in every detail. These Legs are large and strong — not angles, but curved, giving a round, smooth strength. Come to you set up — not “knocked down,” like many makes.

The Top is the good old reliable Eric Hot Plate; not a better Plate on earth. Solid One-piece Burners drilled.

NO. 3-E HAS THREE BURNERS IN A ROW

Number	Style	Weight	Code
2-E	Black	45	Albany
2-E-N	Pol. Nickel Top	45	Syracuse
3-E	Black	60	Cuba
3-E-N	Pol. Nickel Top	60	Scio

ERIC BURNER BOWLS MAY BE FURNISHED AT 50 CENTS EACH LIST

MEASUREMENTS

	2-E	3-E
Height from Floor.....	29	29
Size of Top.....	13 x 23	13 x 33
Size of Low Shelf.....	14 x 26	14 x 36

ODIN GAS HOT PLATES

THE 1500 SERIES ELEVATED HOT PLATES

A most solid and substantial Elevated Plate for use in Laundries or Summer Kitchens, setting eighteen or twenty-eight inches from the floor and on solid and substantial Wrought Angle Iron Legs.

One-Piece Star Burners with Air Mixers. Porcelain Handle Stop Cocks.

HIGH STYLE

Number	Style	Weight	Height	Code
1502-H	Black	24	28 in.	Hammer
1502-H-N	Pol. Nickel Top	24	28 in.	Awl
1503-H	Black	46	28 in.	Punch
1503-H-N	Pol. Nickel Top	46	28 in.	Saw

LOW STYLE

Number	Style	Weight	Height	Code
1502-E	Black	20	18 in.	Gulp
1502-E-N	Pol. Nickel Top	20	18 in.	Pulp
1503-E	Black	40	18 in.	Tunic
1503-E-N	Pol. Nickel Top	40	18 in.	Fag



ODIN GAS HOT PLATES

THE ERIC GAS HOT PLATES

An All Cast Iron Line, Flush Grates, Cast Top Frame and by far the most durable Plate made today for the price. One Giant Burner in each Plate. Balance of Burners are regular in size. The No. 3-B Eric is of Square Style, with two Burners in front and one in rear.

Nickel Plate Supply Pipe, Legs, Valves and Mixers. Flush, Loose Grates. Adjustable Mixers. One-Piece Cast Iron Star Burners, drilled. All in Ebonite, Velvet Black Finish.

Adjustable Nose, Porcelain Handle Stop Cocks.

Shipped to you with Burners bolted to proper position, not wired to the Frame as others do, and requiring you to do a stove mounting job after you get them.



Number	Style	Crated	Weight	Code
2	Black Top	{ Six in Crate	{ 20 lbs. each Crated	Noon
2-N	Pol. Nickel Top			Noise
3	Black Top	{ Four in Crate	{ 35 lbs. each Crated	Nip
3-N	Pol. Nickel Top			Nut
3-B	Black Top	{ Four in Crate	{ 37 lbs. each Crated	Needle
3-B-N	Pol. Nickel Top			Nectar
4	Black Top	{ Four in Crate	{ 40 lbs. each Crated	Nebula
4-N	Pol. Nickel Top			Negro

ERIC BURNER BOWLS MAY BE FURNISHED AT 50 CENTS LIST
PER BURNER

MEASUREMENTS

	No. 2 Eric	No. 3 Eric	No. 3-B	No. 4 Eric
Size of Top.....	13 x 23 in.	13 x 33 in.	23 x 23 in.	23 x 23 in.
Height of Legs.....	7 in.	7 in.	7 in.	7 in.

ODIN GAS HOT PLATES

100 SERIES ODIN HOT PLATES

IN THE NEW FRENCH GREY PORCELAIN FINISH THIS SERIES ARE THE ARISTOCRATS OF THE GAS HOT PLATE FAMILY

YOUR EXACTING CUSTOMER WILL APPRECIATE AND BUY THEM

The Series here shown as 120 and 130 are of All Cast Iron Construction—simply a trifle smaller than the Eric line.

Fitted with White Porcelain Handle, Adjustable Nose Stop Cocks, Nickel Plated Supply Pipe. All in Ebonite, Velvet Black. Full Nickel or French Grey Porcelain Finish.

Nickel Adjustable Mixers. Flush, Loose Grates. One-Piece Cast Star Burners.


Shipped to you with Burners bolted to proper position, not wired to the Frame as others do, and requiring you to do a stove mounting job after you get them.

Number	Style	Crated	Weight	Code
120	All Black	Six in Crate	18 lbs. each Crated	China
120-N	All Nickel			Japan
120-F-G	All Grey Porc.			Corea
130	All Black	Six in Crate	31 lbs. each Crated	Arctic
130-N	All Nickel			Polar
130-F-G	All Grey Porc.			Alaska

BOWL ATTACHMENTS MAY BE FURNISHED AT 50 CENTS LIST PER BURNER

MEASUREMENTS

	No. 120	No. 130
Size of Top.....	11 x 21 in.	11 x 31 in.
Height of Legs.....	7 in.	7 in.



ODIN GAS HOT PLATES

1500 SERIES ODIN HOT PLATES

ALL CAST IRON

TRY THE NEW FRENCH GREY PORCELAIN FINISH.
THEY ARE BEAUTIES.

Just naturally the best Gas Hot Plate on the market for the money. Everything bolted down. No loose Caps or Burners to lose off.

Dull Gloss Egg Finish, Nickel or French Grey Porcelain. Adjustable Air Mixers. One-Piece Drilled Star Burner. Porcelain Handle, Nickel Stop Cocks, and Supply Pipe.



Number	Style	Crated	Weight	Code
1501	Black Top	Six in Crate	8 lbs. to Crate	Lena
1501-N	Pol. Nickel			Lulu
1501-F-G	All Grey Porc.			Lip
1502	Black Top	Six in Crate	18 lbs. to Crate	Lug
1502-N	Pol. Nickel			Lure
1502-F-G	All Grey Porc.			Lust
1503	Black Top	Six in Crate	25 lbs. to Crate	Last
1503-N	Pol. Nickel			Lump
1503-F-G	All Grey Porc.			Lap

Shipped to you with Burners bolted to proper position—Not wired to the Frame as others do, and requiring you to do a stove mounting job after you get them.

MEASUREMENTS

	No. 1501	No. 1502	No. 1503
Size of Top.....	10 x 10 in.	10 x 20 in.	10 x 30 in.
Height of Legs.....	6 in.	6 in.	6 in.

**BOWL ATTACHMENTS MAY BE FURNISHED AT 50 CENTS LIST
PER BURNER**

ODIN GAS HOT PLATES

1500 SERIES ODIN HOT PLATES



WITH GALVANIZED IRON DRIP PANS

THE NEW FRENCH GREY PORCELAIN FINISH IS WONDERFUL

The even increasing demand for a serviceable Hot Plate with Drip Pan has prompted us to apply that convenience to the 1500 Series which are so popular with our trade. Here is a solid and substantial Pan easily put to position or removed and at a remarkably low price. Your particular housewife will appreciate this Galvanized Shelf and it will prove a very ready seller with you.

Number	Style	Crated	Weight	Code
1501-T	Black Top	Six in Crate	8 lbs. to Crate	Fungus
1501-N-T	Pol. Nickel			Fungi
1501-F-G-T	Grey Porc.			Firm
1502-T	Black Top		18 lbs. to Crate	Fugitive
1502-N-T	Pol. Nickel			Frog
1502-F-G-T	Grey Porc.			Flume
1503-T	Black Top		25 lbs. to Crate	Fiddle
1503-N-T	Pol. Nickel			Fuss
1503-F-G-T	Grey Porc.			Florida

FOR MEASUREMENTS AND FURTHER DESCRIPTION SEE PAGE 36



ODIN GAS HOT PLATES

VIKING HOT PLATES




A REGULAR "BARGAIN DAY" OR "SALE" PLATE

"THE OLD RELIABLE"

One-Piece, Drilled Star Burners. Porcelain Handle, Nickel Stop Cocks.

All Cast Iron, but the Pipe. No loose parts to lose off.

Shipped to you with Burners bolted to proper position, not wired to Frame, as others do, and requiring you to do a stove mounting job after you get them.




Number	Style	Crated	Weight each	Code
Viking No. 1	Black Top	Six in Crate	7 lbs.	Hitch
Viking No. 1-N	Pol. Nickel			Hoarse
Viking No. 2	Black Top		14 lbs.	Horn
Viking No. 2-N	Pol. Nickel			Hornpipe
Viking No. 3	Black Top		20 lbs.	Humble
Viking No. 3-N	Pol. Nickel			Haste

MEASUREMENTS

	No. 1 Viking	No. 2 Viking	No. 3 Viking
Size of Top.....	9 x 9 in.	9 x 20 in.	9 x 30 in.
Height of Legs.....	6 in.	6 in.	6 in.

THE "JOEY" NURSERY BURNER




MOST CONVENIENT LITTLE "HANDY GAS BURNER"

May be attached to Gas Jet or Wall Connection with Hose and are very quick Heaters.

Number	Style	Size of Top	Height	Code
Joey 30	Black Top	5½ Diam.	3 in.	Boy
Joey 30-N	Pol. Nickel Top	5½ Diam.	3 in.	Bat
Joey 40	Black Top	6½ Diam.	3 in.	Bung
Joey 40-N	Pol. Nickel Top	6½ Diam.	3 in.	Bang

ODIN CROWN BURNERS



Burners for all 'round use in heating and cooking. You can assemble any number of these into a manifold or cluster for Furnace, Range or Boiler work. All tapped to ⅛" pipe size. Perfect burning Bunsen flame.

No. B-1	No. BB-1
Height, 5 in. Top Diam., 3¼ in.	Height, 3¾ in. Top Diam., 2¼ in.
Code, Ada	Code, Ape

ODIN TAILOR IRON HEATERS

DETAILS OF CONSTRUCTION

The Odin Tailor Iron Heaters are built entirely of Cast Iron with the exception of the Valves and Supply Pipe, and are by far the most durable Heaters for this work on the market.

The roof is "slotted" so the handle of the iron may be on the outside above and away from the intense heat from the Burners.

Each Burner is operated by its own valve so one may use as many flames as desired at one time.

The Slot for Iron Handles is one inch wide, but if wider space is desired—will be furnished so, if wants are made known with order.



Number	Style	Weight	Code
2	Two Burners	35	Midland
3	Three Burners	42	Messo
4	Four Burners	50	Maid
6	Six Burners	70	Maiden

ALWAYS SPECIFY

IF DESIRED FOR NATURAL OR MANUFACTURED GAS

THE ODIN GAS SOLDERING FURNACES



BRICK LINED

A SOLID, SUBSTANTIAL FURNACE
With Cast Iron Base and Drilled Burners, Polished Steel
Top lined with heavy Fire Brick



ALL CAST IRON

MADE WITH CAST HOOD, BASE AND BURNER
Lid in the Top may be removed, leaving an opening over
which a Glue Pot may be set

Number	Size	Lining	Weight	Code
1	One Burner	Brick	9 lbs.	Pa
2	Two Burners	Brick	12½ lbs.	Ma
3	One Burner	All Cast	8 lbs.	Sup
4	Two Burners	All Cast	10 lbs.	Cigar

Please note that we use the Adjustable Air Mixer, also on One Burner Furnaces we furnish a Stop Cock for Iron Pipe Connection

ALWAYS SPECIFY IF DESIRED FOR NATURAL OR MANUFACTURED GAS.

ODIN COPPER COIL WATER HEATER



The Burner used in this Heater consists of one Cast Iron Gas Chamber at the base from which projecting upwards, inside the coil, are six upright columns, each column being drilled with fourteen holes in such a manner as to allow all the flames to play directly against the sensitive Copper Coil, thereby obtaining the quickest and most positive heat possible at the lowest cost for gas. The Coil is made of the highest grade of Seamless Copper Tubing and will not rust nor clog as often occurs in water heaters having cast or malleable iron heating chambers.

MEASUREMENTS

	No. 15	No. 18	No. 20
Diameter of Body.....	8 in.	8 in.	8 in.
Height of Body.....	15 in.	18 in.	20 in.
Capacity for Heating.....	30-40 gal.	40-60 gal.	60-100 gal.
Circulation of Coil.....	11 ft.	16 ft.	20 ft.
Code Word	Kalamazoo	Saginaw	Detroit

COIL AND COUPLINGS ONLY — SEE LIST PRICES

TRI-ODIN SECTIONAL BURNERS

THE ORIGINAL SECTIONAL COOK STOVE BURNER


DETAILS OF CONSTRUCTION

Body and Top cast in one piece and cored. No possible chance for warping or burning out.

Made with three or four separate compartments in the body. On the Three-Way a Chamber for each Star Top Burner and one for the Oven. On the Four-Way an extra chamber is added for the Water Front.

Each Chamber has its own Individual Stop Cock and Air Mixer, both of which are nicely nickled, as is the Manifold, which supplies all Cocks and into which they are fitted.


The Burners may be used in either right or left hand Oven Ranges, as plugs are set in one end and may be reversed to the opposite end where it becomes necessary to change from right to left.



Number	Length	Equipment	Code
312	12 in.	Complete with Nipples	East
314	14 in.	Complete with Nipples	West
316	16 in.	Complete with Nipples	North
318	18 in.	Complete with Nipples	South
Manifold, Valves and Mixers, with Key.....			Direct
Extra Tops, each			Direction

Number	Length	Equipment	Code
412	12 in.	Complete with Nipples	Sun
414	14 in.	Complete with Nipples	Moon
416	16 in.	Complete with Nipples	Star
418	18 in.	Complete with Nipples	Night
Manifold, Valves and Mixers, with Key.....			Day

Manifold with 1/2-inch inflow furnished.



DETAILS OF CONSTRUCTION

The old style Four-Way Burner, flat and wide, was too wide for the average fire-box. If it wasn't too wide, it was so wide the burner covered the grate all over and laid the flames against the oven lining and the water front so closely that neither had a chance to get lively. The Penn Odin stops all this trouble.

The Manifold to Penn Odin has a key on every valve. This Manifold is nicely nickled and so are the Adjustable Mixers. Heats the Oven, or the Water Back, or the two Lids—one at a time, or all together. Three and one-half inches wide.

MEASUREMENTS

Number	Length	Equipment	Code
412	12 in.	Complete with Nipples	Brown
414	14 in.	Complete with Nipples	Black
416	16 in.	Complete with Nipples	Green
418	18 in.	Complete with Nipples	White
Manifold, Valves and Mixers			Pink

ODIN RECTANGULAR COOK STOVE BURNER



A Cast Iron Cook Stove Burner with Shedding Roof Cap over holes. This Cap protects the holes so that no dirt may fall into the Burner. Has plug in the bottom at the center of the Burner, also plug at the end, so connection can be made either way. These Burners are drilled on either side at no additional charge when desired.

MEASUREMENTS


Numbers	52	53	54	55
Length	12 in.	14 in.	16 in.	18 in.
Width	4 in.	4 in.	4 in.	4 in.
Inflow	1¼ in.	1¼ in.	1¼ in.	1¼ in.
Code Word	Jasper	Juniper	Juggle	Jumbo

ODIN TWO SECTION FURNACE BURNER



No.	Diam.	Inflow	Code
14	14 in.	1 1/4 in.	Euclid
16	16 in.	1 1/4 in.	Payne
18	18 in.	1 1/4 in.	Superior
20	20 in.	1 1/4 in.	Prospect

Cast in two sections. Taps inside or on bottom



ODIN CENTER DRAFT BURNER

No.	Diam.	Inflow	Code
0	6 in.	1 1/4 in.	John
1	8 in.	1 1/4 in.	Henry
2	10 in.	1 1/4 in.	Charles
3	12 in.	1 1/4 in.	James

Cast in one piece and drilled. Cannot warp or burn out
Draft through center

ODIN TWO PIECE ROUND HEATER BURNERS




Cast Iron Burner of continuous flame pattern

No bolts to adjust

MEASUREMENTS

Numbers	4	6	8	10
Diameter	4 in.	6 in.	8 in.	10 in.
Inflow	1 in.	1 1/4 in.	1 1/4 in.	1 1/4 in.
Code Word	Muffle	Muffin	Move	Movement

ODIN ONE-PIECE RING OR SPLIT BURNERS




MEASUREMENTS

Number	4	5	6	8
Diameter	4 in.	5 in.	6 in.	8 in.
Inflow	$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	$\frac{3}{4}$ in.	$\frac{3}{4}$ in.
Code Word, Ring	Penny	Nickel	Dime	Coin
Code Word, Split	Eagle	Gold	Silver	Copper

ALWAYS STATE WHICH IS WANTED, RING OR SPLIT

ODIN ANGLE AND NEEDLE VALVES WITH MIXERS



FOR USE WITH ALL TYPES OF HEATING BURNERS

Numbers $\frac{1}{2}$ and $\frac{3}{4}$ A.
 $\frac{1}{2}$ A—Valve Inlet $\frac{3}{8}$ in.
 Mixer Outlet $\frac{1}{2}$ in.

Code, Rio

$\frac{3}{4}$ A—Valve Inlet $\frac{3}{8}$ in.
 Mixer Outlet $\frac{3}{4}$ in.

Code, Java

Numbers $\frac{1}{2}$ and $\frac{3}{4}$ N.
 $\frac{1}{2}$ N—Valve Inlet $\frac{1}{8}$ in.
 Mixer Outlet $\frac{1}{2}$ in.


Code, Hylo

$\frac{3}{4}$ N—Valve Inlet $\frac{1}{8}$ in.
 Mixer Outlet $\frac{3}{4}$ in.

Code, Tyro


ODIN ADJUSTABLE DIAMOND MIXER

No.	Size Outlet	Size Inlet Spud	Finish
7	$\frac{3}{4}$ in.	$\frac{3}{8}$ or $\frac{1}{2}$	{ Black Nickel
8	1 in.	$\frac{3}{8}$ or $\frac{1}{2}$	{ Black Nickel
9	$\frac{1}{4}$ in.	$\frac{3}{8}$ or $\frac{1}{2}$	{ Black Nickel





THIS IS THE MOST CONVENIENT MIXER FOR USE WITH
RANGE, HEATER OR LARGE FURNACE BURNERS

ODIN NON-ADJUSTABLE DIAMOND MIXER



No.	Outlet	Spud	Finish
10	$\frac{1}{2}$ in.	$\frac{3}{8}$ in.	{ Black Nickel
12	$\frac{3}{4}$ in.	$\frac{3}{8}$ in.	{ Black Nickel
14	1 in.	$\frac{3}{8}$ in.	{ Black Nickel
16	$1\frac{1}{4}$ in.	$\frac{3}{8}$ in.	{ Black Nickel


ODIN LOOSE PIN HEXAGON MIXER



No.	Outlet	Inflow	Spud	Finish
1-H	1 in.	$\frac{3}{8}$ or $\frac{1}{2}$ in.		{ Black Nickel
2-H	$1\frac{1}{4}$ in.	$\frac{3}{8}$ or $\frac{1}{2}$ in.		{ Black Nickel

HERE IS A GOOD MIXER FOR USE
WITH FURNACE BURNERS


HOSE NOZZLES



NO. 99—(FEMALE)

$\frac{3}{8}$ Male Hose Nozzle { Black
Nickel


$\frac{1}{2}$ Female Hose Nozzle { Black
Nickel



NO. 107—(MALE)

Black Nickel } $\frac{3}{8}$ Female Hose Nozzle

Black Nickel } $\frac{1}{2}$ Male Hose Nozzle




ODIN ANGLE VALVE KEY

Black

Nickel


ODIN SKELETON "GRIDS"



MADE FOR LID OPENINGS

Seven, eight, eight and one-half and nine
inches in diameter

FRANKLIN VALVE AND MIXER




ALL BRASS BUT THE WHEEL

The Valve has $\frac{3}{8}$ inch inlet while the Mixer has $\frac{1}{2}$ or $\frac{3}{4}$ inch outlet with Set Screw on that end.

Just the appliance for use with Ring or Split Ring Burners.

No.		Code
No. 340.....	$\frac{3}{8}$ x $\frac{1}{2}$	Ohio
No. 341.....	$\frac{3}{8}$ x $\frac{3}{4}$	Brass


ODIN THREE-IN-ONE GAS SERVICE COCK



Does away with the separate Nipple, Union and Cock. Here is the Nipple, Union and Cock combined in one piece. Handiest connection on the market.

Number	Size	Code
215-D-1.....	$\frac{3}{8}$ inch	Hicks
215-D-1.....	$\frac{1}{2}$ inch	Hartz
215-D-1.....	$\frac{3}{4}$ inch	Moscow


GAS COCKS FOR STOVE OR HEATING SERVICE



NO. 4

Blackwood Handle—Plated Body— $\frac{3}{8}$ Female x $\frac{1}{8}$ Male.


Code, Kobe



NO. 41

Porcelain or Blackwood Handle—Plated Body
 $\frac{1}{8}$ Double Male Pipe Thread.


Code, Petro



NO. 420

Blackwood Handle—Plated Body— $\frac{3}{8}$ Female x $\frac{1}{8}$ Male.

Code, Bolivia




NO. 430

Metal Handle—Plain Body— $\frac{1}{8}$ x $\frac{1}{8}$ Male.

Code, Ocean

GAS COCKS FOR STOVE OR HEATING SERVICE



NO. 470

RANGE AND HOT PLATE
BELL WHEEL VALVE


$\frac{1}{8}$ x $\frac{1}{8}$ Male

Code, Tickle

RANGE AND HOT PLATE
OPEN WHEEL VALVE


$\frac{1}{8}$ x $\frac{1}{8}$ Male

Code, Pickle



NO. 480

COOK STOVE BURNER SQUARE HEAD COCK



NO. 460

$\frac{1}{8}$ Male x 7-16 Slip Jt.

Code, Equador


WATER HEATER ANGLE VALVE

$\frac{1}{8}$ Male x $\frac{3}{8}$ Inlet

Code, Toro

$\frac{1}{8}$ Male and $\frac{1}{2}$ Inlet

Code, Toast




NO. 490

GAS COCKS FOR STOVE OR HEATING SERVICE

ODIN HOSE COCK

NUMBER ONE



No. 1—Odin Hose Cock
Female for $\frac{3}{8}$ pipe


No. 01—Odin Hose Cock
Female for $\frac{1}{2}$ pipe

No. 01 $\frac{1}{2}$ —Odin Hose Cock
Male for $\frac{3}{8}$ pipe

No. 01 $\frac{3}{4}$ —Odin Hose Cock
Male for $\frac{1}{2}$ pipe

ODIN INDEPENDENT COCK

NUMBER TWO



No. 2—Odin Independent Cock
For $\frac{3}{8}$ pipe

No. 02—Odin Independent Cock
For $\frac{1}{2}$ pipe

ODIN ELL BURNER COCK

NUMBER THREE



No. 3—Odin Ell Burner Cock
For $\frac{3}{8}$ in. pipe

No. 03—Odin Ell Burner Cock
For $\frac{1}{2}$ in. pipe

ODIN "BESTO-STICK"



A Cement used for fastening Asbestos to Sheet Iron.

Also used as an Egg Preservative

One Quart Cans


Code, Watson

ODIN INCANDESCENT FIRE FUEL



Code, Wolf

ODIN ASBESTOS FIBRE



Finest grade of Fibre for use in renewing Stove Backs.

When used with "Besto-Stick" it is easily applied.

One pound to the package

Code, Wool


ODIN PERFORATED FUEL



Code, Fox

FOR
Heavy Service


**GAS RANGE and
HEATER CONNECTIONS**



$\frac{1}{2}$ INCH TUBES		
Length	Unions	Code
12 in.....	$\frac{1}{2} \times \frac{1}{2}$	Protect
18 in.....	"	The
24 in.....	"	Home
30 in.....	"	And
36 in.....	"	Family

FOR
Light Service

**GAS HEATER and
HOT PLATE CONNECTIONS**




$\frac{3}{8}$ INCH TUBES		
Length	Unions	Code
12 in.....	$\frac{3}{8} \times \frac{3}{8} \times \frac{1}{4}$	Safety
18 in.....	"	First
24 in.....	"	Last
30 in.....	"	Every
36 in.....	"	Minute

COMPARE OUR PRICES

.....

ALSO COMPARE WEIGHTS, SIZES AND QUALITIES ALL CLEARLY STATED HEREIN
WE GUARANTEE A^T SAVING IN PRICE OVER EQUAL QUALITY

**ALL ODIN BURNERS ARE NOW SET
AND BURN LIKE THIS**



**The correct, efficient,
and economical way.**

Digitized by



ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY,
INTERNATIONAL


www.apti.org

BUILDING
TECHNOLOGY
HERITAGE
LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:

Mike Jackson, FAIA



efficient,
al way.

CONFIDENTIAL

List Price Sheet

Issued January 15th, 1924

and

Applying to Catalogue No. 41

GET DISCOUNT

ODIN GAS RANGES — HOT PLATES
BURNERS — APPLIANCES

Previous Prices and Terms are Herewith
Withdrawn

All orders received as a result of this or other quotations are contingent upon strikes, accidents, acts or demands of the United States Government upon us, Railroads, War, public enemy, our ability to secure materials, or any other causes beyond our control.

Terms—30 days net from date of invoice or 2% for cash 10 days from date of invoice, F. O. B., Erie, Pa.
DELAYS IN TRANSIT OR DELIVERY DO NOT
ALTER THESE TERMS.

Odin Stove Manufacturing Co.

Erie, Pennsylvania

LIST PRICES

on

Gas Ranges, Hot Plates, Burners, etc.

Number	Pages 6, 7, 8 and 9	List
--------	---------------------	------

ODIN CABINET TYPE

440	Odin Cabinet Type	\$47.62
442	“ “ “	54.55
445	“ “ “	65.75
443	“ “ “	76.65

Pages 10, 11, 12, 13

ODIN CABINET TYPE

660	Odin Cabinet Type	55.20
880	“ “ “	60.65
662	“ “ “	63.20
882	“ “ “	70.50
665	“ “ “	75.00
885	“ “ “	83.50
663	“ “ “	86.37
883	“ “ “	95.45

Pages 14, 15 and 16

ODIN CABINET TYPE

560	Odin Cabinet Type	47.62
562	“ “ “	55.65
565	“ “ “	68.20

Pages 17 and 18

ODIN CABINET TYPE

460	Odin Cabinet Type	43.00
462	“ “ “	50.75

Pages 19, 20 and 21

ODIN CABINETTE TYPE

664-B	Odin Cabinette Type	64.00
664-A	“ “ “	56.00
666-B	“ “ “	51.00
666-A	“ “ “	44.00

Pages 22 and 23

ODIN WHITE PORCELAIN SQUARE TYPE RANGES

8018-AW	Odin White Porc. Single Oven Range	56.40
9018-ASW	“ Semi “ “ “ “	47.75
8018-BW	“ White “ Double “ “	66.40
9018-BSW	“ Semi “ “ “ “	59.10

PAGES 6, 7, 8 and 9 FOR APARTMENT CABINETS

Number	Pages 24 and 25	List
--------	-----------------	------

LEADER SQUARE TYPE RANGES

816-A	Leader Range.	Single Oven.....	32.80
818-A	"	" "	36.00
816-B	"	Double Oven.....	38.80
818-B	"	" "	42.50

Pages 26 and 27

KITCHEN QUEEN RANGETTES

20	Kitchen Queen Rangette.....	22.50
30	" " " "	25.90

Pages 28, 29, 30 and 31

ODIN RANGETTES

1300-SW	Odin Rangette	Semi White Porcelain...	29.46
1400-SW	"	" " " " "	34.93
1300	"	Plain.....	21.85
1400	"	" " " "	26.20

Page 32

ERIC ELEVATED HOT PLATES

2-E	Eric Elevated Plate,	Black.....	14.20
2-EN	"	Nickel.....	16.20
3-E	"	Black.....	17.55
3-EN	"	Nickel.....	20.15
	Eric Burner Bowls, each.....		.50

Page 33

1500 SERIES ELEVATED PLATES

1502-H	Elevated Plate	Black.....	7.40
1502-HN	"	Nickel	8.80
1503-H	"	Black.....	10.90
1503-HN	"	Nickel	12.90
1502-E	"	Black.....	6.25
1502-EN	"	Nickel	7.65
1503-E	"	Black.....	9.10
1503-EN	"	Nickel	11.10

Page 34

ERIC HOT PLATES

2	Eric Hot Plate,	Black.....	8.00
2-N	"	Nickel	10.00
3	"	Black.....	11.00
3-N	"	Nickel	13.10
3-B	"	Black.....	12.00
3-BN	"	Nickel	15.00
4	"	Black.....	13.50
4-N	"	Nickel	16.50
	Eric Burner Bowls, each50

FOR LOW PRICED ALL WHITE PORCELAIN CABINETS

Number Page 35 List

100 SERIES ODIN HOT PLATES

120	Odin Hot Plate	Black	6.25
120-N	" " "	Nickel	8.05
120-FG	" " "	Grey Porcelain	8.40
130	" " "	Black	8.63
130-N	" " "	Nickel	11.13
130-FG	" " "	Grey Porcelain	11.95
Burner Bowls, each			.50

Page 36

1500 SERIES ODIN HOT PLATES

1501	Odin Hot Plate	Black	2.55
1501-N	" " "	Nickel	3.75
1501-FG	" " "	Grey Porcelain	4.31
1502	" " "	Black	4.68
1502-N	" " "	Nickel	6.05
1502-FG	" " "	Grey Porcelain	7.05
1503	" " "	Black	6.60
1503-N	" " "	Nickel	8.40
1503-FG	" " "	Grey Porcelain	9.32
Burner Bowls, each			.50

Page 37

1500 SERIES ODIN HOT PLATES

WITH GALVANIZED IRON DRIP PANS

1501-T	Odin Hot Plate	Black	2.95
1501-NT	" " "	Nickel	4.15
1501-FGT	" " "	Grey Porcelain	4.45
1502-T	" " "	Black	5.28
1502-NT	" " "	Nickel	6.65
1502-FGT	" " "	Grey Porcelain	7.65
1503-T	" " "	Black	7.20
1503-NT	" " "	Nickel	9.00
1503-FGT	" " "	Grey Porcelain	10.00
Burner Bowls, each			.50

Page 38

VIKING HOT PLATES

1	Viking Hot Plate,	Black	2.20
1-N	" " "	Nickel	3.20
2	" " "	Black	4.10
2-N	" " "	Nickel	5.60
3	" " "	Black	5.90
3-N	" " "	Nickel	7.60

Number Page 39 List

"JOEY" NURSERY BURNERS

30	"Joey" Nursery Burner, Black, per dozen	7.20
30-N	" " " Nickel " "	12.00
40	" " " Black " "	10.80
40-N	" " " Nickel " "	16.80

ODIN CROWN BURNERS

B-1	Crown Burner, per dozen.....	8.70
BB-1	" " " "	6.50

Page 40

ODIN TAILOR IRON HEATERS

2	Odin Tailor Iron Heater.....	13.00
3	" " " "	16.50
4	" " " "	21.50
6	" " " "	27.50

Page 41

ODIN GAS SOLDERING IRON FURNACES

1	Odin Brick Lined Soldering Furnace.....	4.10
2	" " " " "	6.00
3	Odin All Cast Iron Soldering Furnace.....	3.30
4	" " " " "	5.00

Page 42

ODIN COPPER COIL WATER HEATERS

15	Odin Copper Coil Water Heater.....	\$16.50
18	" " " " "	19.00
20	" " " " "	22.50
15	Copper Coils only, 11 feet and couplings.....	7.50
18	" " " 16 " " "	9.50
20	" " " 20 " " "	12.00

Page 43

TRI-ODIN SECTIONAL COOKSTOVE BURNERS

312	Tri-Odin Sectional Cookstove Burner.....	7.50
314	" " " " "	8.40
316	" " " " "	8.80
318	" " " " "	9.40
	Extra Star Tops, each.....	.70
	Manifold, Valves and Mixers, with Key.....	3.70
412	Tri-Odin Sectional Cookstove Burner.....	9.40
414	" " " " "	10.30
416	" " " " "	11.20
418	" " " " "	12.10
	Manifold, Valves and Mixers, with Key.....	5.10

Page 44

PENN ODIN SECTIONAL COOKSTOVE BURNERS

412	Penn Odin Sectional Cookstove Burner.....	10.30
414	" " " " "	11.20
416	" " " " "	12.10
418	" " " " "	13.00
	Manifold Valves and Mixers, with Key.....	5.60

ODIN RECTANGULAR COOKSTOVE BURNERS

52	Odin Rectangular Cookstove Burner.....	2.75
53	" " " " "	3.55
54	" " " " "	4.25
55	" " " " "	4.95

Page 45

ODIN TWO-SECTION FURNACE BURNERS

14	Odin Two Section Furnace Burner.....	4.40
16	" " " " "	5.00
18	" " " " "	5.70
20	" " " " "	6.70

ODIN CENTER DRAFT BURNERS

0	Odin Center Draft Burner.....	1.00
1	" " " " "	1.65
2	" " " " "	2.65
3	" " " " "	4.00

ODIN TWO PIECE ROUND HEATER BURNERS

4	Odin Two Piece Round Heater Burner.....	.60
6	" " " " " " "80
8	" " " " " " "	1.30
10	" " " " " " "	2.00

Page 46

ODIN ONE-PIECE RING OR SPLIT BURNERS

4	Odin Ring or Split Burner.....	.35
5	" " " " " "45
6	" " " " " "55
8	" " " " " "90

ODIN ANGLE AND NEEDLE VALVES

1/2-A	Angle Valves, with Mixer.....	1.12
3/4-A	" " " " "	1.22
1/2-N	Needle " " "90
3/4-N	" " " " "	1.00

Number Page 47 List

ODIN ADJUSTABLE DIAMOND MIXERS

7	Odin Adjustable Diamond Mixer, Black.....	.56
7	“ “ “ “ Nickel80
8	“ “ “ “ Black62
8	“ “ “ “ Nickel86
9	“ “ “ “ Black66
9	“ “ “ “ Nickel90

ODIN NON-ADJUSTABLE DIAMOND MIXERS

10	Odin Non-Adjustable Diamond Mixer, Black	.24
10	“ “ “ “ Nickel	.44
12	“ “ “ “ Black	.28
12	“ “ “ “ Nickel	.48
14	“ “ “ “ Black	.36
14	“ “ “ “ Nickel	.60
16	“ “ “ “ Black	.40
16	“ “ “ “ Nickel	.70

ODIN LOOSE PIN HEXAGON MIXER

1-H	Odin Loose Pin Hexagon Mixer, Black40
1-H	“ “ “ “ Nickel70
2-H	“ “ “ “ Black48
2-H	“ “ “ “ Nickel80

Page 48

ODIN HOSE NOZZLES

99	3/8 Female Hose Nozzle, Plain Finish, per doz.	1.20
99	3/8 “ “ “ Nickel “ “ “	2.40
99	1/2 “ “ “ Plain “ “ “	2.00
99	1/2 “ “ “ Nickel “ “ “	3.20
107 Male Hose Nozzles—take same List Price as Female		

ODIN ANGLE VALVE KEYS

Odin Angle Valve Keys, Plain Finish, per dozen	.96
“ “ “ “ Nickel “ “ “	2.20

ODIN SKELETON “GRIDS”

7, 8, 8 1/2 and 9 in. Odin Skeleton “Grids”, per doz.	6.00
-------------------------------------------------------	------

Page 49

FRANKLIN VALVES AND MIXERS

340 Franklin Valve and Mixer, each.....	.64
341 “ “ “ “72

ODIN THREE-IN-ONE GAS SERVICE COCK

215-D-1 Gas Service Cock, 3/8" each.....	1.30
215-D-1 “ “ “ 1/2" “	1.70
215-D-1 “ “ “ 3/4" “	2.50

LOWEST PRICED CABINETS PAGES 17 and 18

Number	Page 50	List
4 Gas Cock, per dozen.....		8.40
41 " " " "		7.20
420 " " " "		8.40
430 " " " "		7.20

Page 51

470 Bell Wheel Valve, per dozen.....	7.20
480 Open " " " "	7.20
460 Square Head Burner Cock, per dozen.....	8.40
490 $\frac{3}{8}$ " Water Heater Angle Valve, per dozen....	8.40
490 $\frac{1}{2}$ " " " " " " " "	9.60

Page 52

1 $\frac{3}{8}$ " Female Hose Cock, per dozen.....	6.00
01 $\frac{1}{2}$ " " " " " " "	7.20
01 $\frac{1}{2}$ $\frac{3}{8}$ " Male " " " "	6.00
01 $\frac{3}{4}$ $\frac{1}{2}$ " " " " " " "	7.20
2 $\frac{3}{8}$ " Independent Hose Cock, per dozen....	8.00
02 $\frac{1}{2}$ " " " " " " "	9.50
3 $\frac{3}{8}$ " Ell Burner Cock, per dozen.....	6.00
03 $\frac{1}{2}$ " " " " " " "	7.20

Page 53

Odin Besto Stick, per dozen.....	6.00
" Asbestos Fibre, per pound	3.00
" Incandescent Fire Fuel, per 1000 pcs.....	29.70
" " " " " 100 "	3.75
" Perforated " " " 1000 "	42.00
" " " " " 100 "	5.10

Page 54

MEGAHO SOFT ANNEALED COPPER TUBES

$\frac{1}{2}$ " Tubes

12 12" lengths	1.12
18 18" "	1.32
24 24" "	1.50
30 30" "	1.70
36 36" "	1.90

$\frac{3}{8}$ " Tubes

12 12" "82
18 18" "90
24 24" "	1.04
30 30" "	1.20
36 36" "	1.34